

SAFETY DATA SHEET

(Krown) **BRAKE & PARTS CLEANER - AEROSOL**
Product code: KE93
Issued on: 12.08.2014 Version 1.0

1. MATERIAL / MIXTURE AND ORGANIZATION / COMPANY IDENTIFICATION

1.1. Product identification

KROWN KE93 BRAKE & PARTS CLEANER - AEROSOL

1.2. The intended usages of the material or mixture and those not recommended

Dissolves and cleans grease, oil and dirt from break parts and stub axles

1.3. Information about the supplier of the safety data sheet

Manufacturer: SIA KROWN FACTORY

Ganību dambis 25f, Riga, LV 1005, Latvia

Telephone: +371 67491330

Fax: +371 67491331

E-mail of the competent person: info@krowneurope.com

Website: www.krowneurope.com

1.4. Telephone for emergency situations

State fire and rescue service: 01, 112

State police: 02, 112

Emergency medical assistance service: 03, 113

State Poison Center Drug and Poison Information Center: +371 67042473

Manufacturer: +371 67491330

2. HAZARDS IDENTIFICATION

2.1. Classification of the material/ mixture

Classification in accordance with Regulation (EC) No. 1272/2008

Physical and chemical hazards Aerosol 1; H222. H229

Human health Asp. Tox.1; H304. Skin Irrit. 2; H315. STOT SE 3; H336

Environment Aquatic Chronic 1; H410

2.2. Label elements

Labelling in accordance with the Regulation (EC) No. 1272/2008



Signal word:

Caution

Hazard statements:

| | |
|------|--|
| H222 | Extremely flammable aerosol |
| H229 | Pressurized container: may burst if heated |
| H304 | May be fatal if swallowed and enters airways |

H315

Causes skin irritation

SAFETY DATA SHEET

(Known)

BRAKE & PARTS CLEANER - AEROSOL

Product code:

KE93

Issued on:

12.08.2014

Version 1.0

H336

May cause drowsiness or dizziness

H410

Very toxic to aquatic life with long lasting effects

Precautionary statements:

P102

Keep away from children

P210

Keep away from heat, hot surfaces, sparks, open flame and other ignition. No smoking.

P240

Ground/bond container and receiving equipment.

P251

Do not pierce or burn, even after use.

P260

Do not breathe vapours/spray.

P262

Do not get in eyes, on skin, or on clothing.

P273

Avoid release to the environment.

P410+412

Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F

P501

Dispose of the content/container in accordance with local regulation.

Contents:

heptane

Special labels in accordance to regulations 648/2004/EC and (EC) 907/2006:

Contains:

>30% aliphatic hydrocarbons

2.3. Other hazards

The mixture does not correspond to *PBT* or *vPvB* criteria.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Composition

Not applicable.

3.2. Mixtures

| Names of components | CAS No. | EINECS No. | RERACH registration No. | Concentration, % of weight | Classification |
|---|----------|------------|-------------------------|----------------------------|---|
| Heptane | 142-82-5 | 205-563-8 | No registration data | 60-100% | F;R11 Xn;R65 Xi;R38 R67 N;R50-53 ----- Flam. Liq. 2; H225 Asp. Tox. 1; H304 Skin Irrit. 2; H315 STOT SE 3; H336 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 |
| Isobutene (contains less than 0.1% butadiene (203-450-8)) | 75-28-5 | 200-857-2 | No registration data | 10-30% | F+;R12 ----- Flam. Gas 1, H220 Press. Gas |
| Propane | 74-98-6 | 200-827-9 | 01-2119486944-21 | 5-10% | F+;R12 ----- Flam. Gas 1, H220 Press. Gas |

Additional information:

Please see full R phrases and H statements in Section 16.

SAFETY DATA SHEET

(Known) **BRAKE & PARTS CLEANER - AEROSOL**
Product code: KE93
Issued on: 12.08.2014 Version 1.0

4. FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation

In case of inhalation of vapour or spray mist, move the victim in fresh air. Seek medical attention, if necessary.

Eye contact

Immediately rinse with large amount of water for at least 15 minutes. Before rinsing make sure there are no contact lenses in the eyes. Keep the eyelids open during rinsing. If the irritation remains, seek medical attention.

Skin contact

Immediately remove the contaminated clothing. Wash contact area with warm water and soap. If the irritation remains, seek medical attention.

Ingestion

Due to the physical properties of the product, ingestion is unlikely. If accidentally ingested, rinse mouth with water. Drink large amount of water. Do not cause vomiting. Do not give anything orally to an unconscious person. If vomiting occurs, keep the head low to prevent the entering of stomach content into the lungs. IMMEDIATELY seek medical attention.

Personal protective equipment of first aid provider

No other relevant information available.

4.2. Most important symptoms and effects, both acute and delayed

No other relevant information about the effects of the mixture available.

4.3. Indication of any immediate medical attention and special treatment needed

No other relevant information about the effects of the mixture available.

5. FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide, dry chemicals, foam, water spray or water mist.

Non-suitable extinguishing media

Do not use powerful water stream to extinguish flame, as it can facilitate spreading of fire.

5.2. Special hazards arising from the substance or mixture

Extremely flammable. Spray bottles are under pressure and can explode, if exposed to heat for a longer period. Product's vapour is heavier than air and may travel along the ground surface. Product's vapour in mixture with air may ignite from sparks, flame or other ignition sources. Leaks may cause fire or explosion hazard. Broken spray bottle's may burst and endanger the personnel.

5.3. Advice for fire fighters

When extinguishing indoor fires and any significant outdoor fires, adequate personal protective equipment and respiratory protection apparatus with independent air supply. For smaller outdoor fires that can be easily extinguished with portable fire extinguisher, the use of respiratory protection apparatus with independent air supply is not obligatory.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Emergency personnel in contaminated areas must use adequate personal protective equipment and certified self-contained breathing apparatus. Protective goggles and impervious gloves must be used. Move

SAFETY DATA SHEET

(Known) **BRAKE & PARTS CLEANER - AEROSOL**

Product code: KE93

Issued on: 12.08.2014 Version 1.0

containers threatened by fire, if possible without risk. Remove or extinguish fire sources or combustion facilities, evacuate confined spaces, until the gas is dispersed, keep upwind. Spray containers threatened by fire with water to cool them, in order to prevent pressure increase, auto-ignition or explosion. Use shields for personal protection in case of decompression, bursting or explosion of the containers.

6.2. Environmental precautions

Prevent further leakage or spillage, if possible without risk. Immediately inform the responsible environmental services about the accident. Prevent release to the environment.

6.3. Methods and material for containment and cleaning up

Limit access to the area until cleanup is finished. All personnel involved in the cleanup must use adequate personal protective equipment. Extinguish all sources of ignition. Provide proper ventilation. Ventilate enclosed spaces. Do not use flammable materials, e.g. saw dust, as absorbents. Use tools that do not produce sparks. Collect the product for disposal. Inform the responsible state offices, if the spillage is substantial or may have adverse impact on environment.

6.4. Reference to other sections

For waste disposal see Section 13, personal protective equipment indicated in Section 8.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Emergency personnel in contaminated areas must use adequate personal protective equipment and certified self-contained breathing apparatuses. Use protective goggles and impervious gloves. Spilled product may be slippery.

7.2. Conditions for safe storage, including any incompatibilities

Keep in cool, well ventilated areas in closed containers. Keep away from incompatible and flammable materials.

7.3. Specific end use(s)

Break cleaner

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

8.1.1. Exposure limit values

Latvia: Occupational exposure limit values

| Name of the component | 8h OEL mg/m ³ | 8h OEL ppm | 15min OEL mg/m ³ | 15min OEL ppm | Notes |
|--------------------------|-----------------------------|------------|--------------------------------|------------------|-------|
| n-Heptane (CAS 142-82-5) | 350 | 85 | 2085 | 500 | |
| Propane (CAS 74-98-6) | 100 | - | 300 | - | |

OEL – occupational exposure limit values in accordance to Annex 1, Cabinet of Ministers' Regulations No. 325 of 15.05.2007

EU: Occupational exposure limit values

| Name of the component | 8h limit value | |
|--------------------------|----------------|-----------------------|
| n-Heptane (CAS 142-82-5) | 500ppm | 2085mg/m ³ |

Estonia: Occupational Exposure Limits of Hazardous Substances.

SAFETY DATA SHEET

(Known) **BRAKE & PARTS CLEANER - AEROSOL**

Product code: KE93

Issued on: 12.08.2014 Version 1.0

(Annex of regulation No. 293 of 18 September, 2001)

| Name of the component | STEL mg/m ³ | TWA |
|--------------------------|------------------------|-----------------------|
| n-Heptane (CAS 142-82-5) | | 820mg/m ³ |
| Propane (CAS 74-98-6) | | 1800mg/m ³ |

Lithuania: Limit Values for Chemical Substances, General Requirements (Hygiene Norm HN 23:2007)

| Name of the component | STEL mg/m ³ | TWA |
|--------------------------|------------------------|-----------------------|
| n-Heptane (CAS 142-82-5) | 3128mg/m ³ | 2085mg/m ³ |

STEL – Short term exposure limit

TWA – Time-weighted average

8.1.2. Derived No Effect Levels (DNEL) and Prescribed No Effect Concentration (PNEC)

Derived No Effect Levels (DNEL)

n-Heptane, CAS 142-82-5

Derived No Effect Level DNEL

| Name of the component | Type | Effect | Value | Manifestation |
|--------------------------|-------------|------------|------------------------|-----------------------------|
| n-Heptane (CAS 142-82-5) | Contractors | Skin | 300 mg/kg/day | Long-term systemic exposure |
| n-Heptane (CAS 142-82-5) | Contractors | Inhalation | 2085 mg/m ³ | Long-term systemic exposure |

Prescribed No Effect Concentrations (PNECs)

Data not available

8.2. Exposure controls

8.2.1. Adequate technical management

General instructions: Preventive measures – minimize exposure to the effects of liquid, vapour, mist or fumes. In case of emergency, see Section 6.

Technical measures: Local exhaust ventilation.

8.2.2. Such individual protection measures as personal protective equipment

The selection of personal protective equipment may differ based on the circumstances of use.

Eye/face protection: Use goggles and side guards (EN166).

Hand protection: Use safety gloves. Nitrile protective gloves (EN374) recommended, care must be taken, as the liquid may seep through the gloves.

Body protection: Use work clothing (for example. safety footwear and long-sleeved protective clothing in correspondence to EN ISO 20345 requirements) to prevent repeated or long-term skin contact with the product.

Respiratory protection: In case of insufficient ventilation or in danger of vapour inhalation, use adequate respiratory system protective equipment with gas retention filter A or AX (LVS EN 141), identification colour – brown. In enclosed spaces use breathing apparatus with independent air supply.

Thermal hazards: Not applicable.

Electrostatic hazards: Expected sensitivity to electrostatic discharge, if the vapour proportion in air is between the upper and lower explosive limit (i.e., 1.0-8.0%).

SAFETY DATA SHEET

(Krown) **BRAKE & PARTS CLEANER - AEROSOL**

Product code: KE93

Issued on: 12.08.2014 Version 1.0

Hygienic measures: Always comply with the correct personal hygienic measures, for example, wash after handling the material and before eating, drinking and/or smoking. Regularly wash work clothing and clean personal protective equipment, to remove contamination. Do not drink, eat and smoke, while handling the material. Wash contaminated clothing before reuse. Private clothing and work clothing must be stored separately.

8.2.3. Environmental risk management

Information not available.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

| | |
|--|------------------------------------|
| a) appearance | Aerosol. Volatile liquid. |
| b) odour | Hydrocarbon |
| c) odour threshold | 230 ppm (specified) |
| d) pH | Not applicable |
| e) melting / freezing point | - 135 °C to -90 °C |
| f) boiling temperature and boiling temperature range | 90 °C to 110 °C (for liquid phase) |
| g) flash temperature | > -4 °C |
| i) flammability (for solids, gasses) | Not flammable |
| j) upper/ lower flammability or explosive limit | 1.0-8.0 |
| h) evaporation rate (water=1) | 4.3 |
| k) vapour pressure (mm Hg) | 45 @ 20 °C |
| l) vapour density (air=1) | >1 |
| m) relative density | 0.7 |
| n) solubility in water | Negligible |
| o) partition coefficient: n-octanol/water | 4.66 |
| p) ignition temperature | 246 °C – 250 °C |
| q) degradation temperature | Data not available |
| r) viscosity | Data not available |
| s) explosion hazard | Data not available |
| t) oxidation properties | Data not available |

9.2. Other information

10. STABILITY AND REACTIVITY

10.1. Reactivity

No hazardous reactions

10.2. Chemical stability

Stable at recommended circumstances for storage and use.

10.3. Possibility of hazardous reactions

No data available

SAFETY DATA SHEET

(Known) **BRAKE & PARTS CLEANER - AEROSOL**

Product code: KE93

Issued on: 12.08.2014 Version 1.0

10.4. Conditions to avoid

Keep away from heat sources, open flame and prevent electrostatic discharge. High temperature may cause thermal decomposition. Do not expose to temperatures exceeding 50 °C/122 °F

10.5. Incompatible materials

Powerful oxidisers. Prevent contact with plastics and rubber.

10.6. Hazardous decomposition products

Carbonic oxides, harmful smoke.

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological information

a) acute toxicity

This product is harmful if inhaled or swallowed. Due to the physical condition of the product, ingestion is unlikely. In ingested, the product may be absorbed and cause CNS depression. Inhalation of vapours causes nose, throat and respiratory system irritation, with cough, wheezing, dizziness, headache, sleepiness, nausea and vomiting. Inhalation in higher concentrations may cause central nervous system depression and unconsciousness. High vapour concentrations reduce oxygen availability for breathing, which may cause suffocation.

Component toxicity

n-Heptane, CAS No. 142-82-5

Acute toxicity

Harmful – if digested, may cause lung damage

LD50 >2000mg/kg (rat, digestion)

LD50 – 3000mg/kg (rabbit, through skin)

b) caustic irritation

Direct contact with the skin may cause mild to moderate irritation and frostbite. Symptoms may include redness, pain, numbness, tingling and itching.

c) serious eye damage/ irritation

Direct contact with the skin may cause mild to moderate irritation and frostbite. Symptoms may include redness, pain, numbness, tingling and itching

d) respiratory or skin sensitization

No data available regarding sensitizing effect of the mixture or components.

e) germ cell mutagenicity

No data available regarding mutagenic effect of the mixture or components.

f) carcinogenicity

No data available regarding carcinogenic effect of the mixture or components.

g) reproductive toxicity

No data available regarding reproductive toxicity of the mixture or components.

h) Specific target organ toxicity, single exposure

No data available regarding toxicity of the mixture.

i) specific target organ toxicity, repeated exposure

May cause skin de-oiling and dermatitis. Intentional concentrated inhalation of this product may be harmful or lethal.

j) hazards caused by inhalation

No data available regarding inhalation hazards of the mixture.

Other hazards

May increase the effects of other organic solvents.

12. ECOLOGICAL INFORMATION

SAFETY DATA SHEET

(Known) **BRAKE & PARTS CLEANER - AEROSOL**
Product code: KE93
Issued on: 12.08.2014 Version 1.0

12.1. Toxicity

Highly toxic to aquatic organisms, may cause long-term adverse effects on the aquatic environment.

Component toxicity

n-Heptane, CAS No. 142-82-5

Acute toxicity

Fish

LC50 (96 h) 375 mg/l (*Tilapia mossambica*) Mozambique Tilapia

12.2. Persistence and degradability

The product is considered to slowly biologically degrade.

12.3. Bioaccumulative potential

Expected bioaccumulation in aquatic organisms.

Degradation coefficient in n-octanol – water system (log Kow): n-Heptane 4.66

12.4. Mobility in soil

The mixture does not mix with water and travel across water surface.

12.5. Results of PBT and vPvB assessment

No data available on the results of PBT and vPvB assessment.

12.6. Other adverse effects

The mixture contains volatile organic components, which have photochemical ozone depletion potential.

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Comply with the legislative documents of the EU and the Republic of Latvia, regulating waste treatment.

Product residue and wastes

Prevent discharge into drains. Do not store with municipal waste. Transfer waste for disposal or recycling to a waste treatment company.

Waste code

070104 Other organic solvents, washing liquids and mother liquors

Container and packaging waste

When possible, recycle containers and packaging free from product residue. Only completely emptied containers may be recycled.

Waste codes

If the container is free from product residue

150104 Metal packaging

If the container contains product residue

150110 Packaging containing hazardous residue or contamination

Additional information for waste treatment company personnel

It is advised to comply with the general protective and hygiene measures when working with chemical substances.

14. TRANSPORT INFORMATION

14.1 UN number

UN 1950

SAFETY DATA SHEET

(Known) **BRAKE & PARTS CLEANER - AEROSOL**

Product code: KE93

Issued on: 12.08.2014 Version 1.0

14.2. UN proper shipping name

AEROSOLS, flammable

14.3. Transport hazard class(-es)

ADR/RID/ADN 2.1

IMDG Class 2.1

ICAO/IATA class/ section 2.1

Hazard label

14.4. Packaging group

ADR/RID/ADN packaging group -

IMDG packaging group -

ICAO/IATA packaging group -

14.5. Environmental hazards

Marine pollutant No

14.6. Special precautions for user

EMS F-D, S-U

Before handling the product, become acquainted with the safety instructions, SDS and descriptions of emergency procedures.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 (18 December, 2006) of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC

Regulation (EC) No. 1272/2008 (16 December, 2006) of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Commission Regulation (EU) No 453/2010 (20 May 2010) amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

Commission Regulation (EU) No 487/2013 (8 May 2013) amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures.

Procedures for Classification, Labelling and Packaging of Chemical Substances and Chemical Products (Regulations of the Cabinet of Ministers of the Republic of Latvia No. 107, 12.03.2002)

SAFETY DATA SHEET

(Krown)

BRAKE & PARTS CLEANER - AEROSOL

Product code: KE93

Issued on: 12.08.2014 Version 1.0

Regulations for Essential Requirements for Spray Bottles and the Procedures for Labelling and Classification Thereof (Regulations of the Cabinet of Ministers of the Republic of Latvia No. 815, 28.07.2009)

Labour Protection Requirements when Coming in Contact with Chemical Substances at Workplaces (Regulations of the Cabinet of Ministers of the Republic of Latvia No. 325, 15.05.2007)

Classification in accordance to the Directive of the Council 67/548/EEC and Directive 1999/45/EC
F+; R12 Xi; R38 N; R50/53 R67

Labelling in accordance to 1999/45/EEC

Hazard labels

F+



Extremely flammable

Xi



Irritating

N



Environmental hazard

Risk statements

R12 Extremely flammable

R38 Irritating to skin

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

R67 Vapours may cause drowsiness and dizziness

Safety phrases

S2 Keep out of the reach of children.

S9 Keep container in well ventilated place

S16 Keep away from sources of ignition – No smoking

S23 Do not breathe fumes or aerosols.

S24 Avoid contact with skin.

S29/56 Do not empty into drains. Dispose of this material and its container at hazardous or special waste collection point.

S37 Wear suitable gloves.

S51 Use only in well ventilated areas.

S61 Avoid release into environment. Refer to special instruction or safety data sheets.

S46 If swallowed seek medical attention immediately and show this container or label.

Additional labels:

The container is under pressure: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce and burn. Do not spray near open flame or heat sources.

Note: Under the Paragraph 55 of the Regulation of the Cabinet of Ministers of the Republic of Latvia No. 107 (12.03.2002) chemical substances and chemical products/mixtures, classified as hazardous and may cause risk of aspiration in humans, may not be labelled as hazardous materials with effect characterization R65, if they are available in the market in spray bottles or sealed containers.

15. Chemical safety assessment

No data on chemical safety assessment

SAFETY DATA SHEET

(Known) **BRAKE & PARTS CLEANER - AEROSOL**
Product code: KE93
Issued on: 12.08.2014 Version 1.0

16. OTHER INFORMATION

Developed on: 12 August, 2014

Developed by: SIA "Retorte"

Information sources

Information has been reviewed and supplemented, based on the safety data sheet developed by the manufacturer and existing legislation.

Section 2 and 3 chemical material effect descriptions (R phrases) and hazard labels (H label) in full:

| | |
|-------------------|--|
| R11 | Flammable |
| R65 | Harmful: may cause lung damage, if swallowed. |
| R38 | Irritating to skin. |
| R67 | Vapours may cause drowsiness and dizziness |
| N50-53 | Extremely toxic to aquatic organisms, may cause long term adverse effects in aquatic environment |
| R12 | Extremely flammable |
| Flam.Liq.1 | Flammable liquid, Hazard Category 2 |
| H225 | Highly flammable liquid and vapour |
| Asp.Tox.1 | Aspiration toxicity, Hazard Category 1 |
| H304 | May be fatal if swallowed and enters airways |
| SkinIrrit. 2 | Skin irritation, Hazard Category 2 |
| H315 | Irritates skin |
| STOT SRE 3 | Specific target organ toxicity – single exposure, Hazard Category 3 |
| H315 | May cause drowsiness or dizziness |
| Aquatic Acute 1 | Material toxic to aquatic environment, Acute Hazard Category 1 |
| H400 | Very toxic to aquatic life |
| Aquatic Chronic 1 | Material toxic to aquatic environment, Chronic Hazard Category 1 |
| H410 | Very toxic to aquatic life with long lasting effects |
| Flam.Gas 1 | Flammable gases, Hazard Category 1 |
| H220 | Extremely flammable gas |
| Press. Gas | Pressurized gas |
| H229 | Pressurized container: may burst if heated |

Abbreviations and acronyms used in the safety data sheet:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

ICAO: International Civil Aviation Organization

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

EINECS: European Inventory of Existing Commercial Chemical Substances

OEL: Occupational exposure limit value

STEL: Short term exposure limit

TWA: Time-weighted average

Disclaimer

The information in this safety data sheet is based on the data provided by the product manufacturer, which is to be deemed correct; however, the product importer, nor its manufacturer shall guarantee that this information is comprehensive, nor shall bear any responsibility of the consequences caused by the use of

SAFETY DATA SHEET

(Krown)

BRAKE & PARTS CLEANER - AEROSOL

Product code:

KE93

Issued on:

12.08.2014

Version 1.0

this information. It is the responsibility of the user of the product, to evaluate the information provided here and its applicability to the current circumstances of the product usage, as well as to carry out all necessary safety procedures, when using this product.

End of safety data sheet